

SAFETY DATA SHEET

SECTION 1: IDENTIFICATION

**PRODUCT NAME: HYDRO MARINE
CERAMIC COATING**

PRODUCT USE: AUTOMOTIVE DETAILING

MANUFACTURER/SUPPLIER:

SCRATCHWERKES

820 4TH ST SE

MINOT, ND 58701

TELEPHONE NUMBER: 701-509-6942

E-MAIL: IAN@SCRATCHWERKES.COM

WEB: WWW.SHOPSCRATCHWERKES.COM

SECTION 2: HAZARD(S) IDENTIFICATION

GHS CLASSIFICATION: HEALTH ENVIRONMENTAL

PHYSICAL

EYE EFFECTS – 2
SKIN CORROSION – 3
ACUTE TOXICITY – 5
N/A (INHALATION)
5 (ORAL/DENTAL)
SKIN SENSITIZATION – N/A
MUTAGENICITY – N/A
CARCINOGENICITY – N/A
REPRODUCTIVE/DEVELOPMENTAL – N/A
TARGET ORGAN TOXICITY – N/A
TOXICITY – N/A
ASPIRATION HAZARD – N/A
ENVIRONMENTAL HAZARDS – N/A
HAZARDOUS TO THE AQUATIC ENVIRONMENT – N/A

FLAMMABLE LIQUID – 2
EXPLOSIVES – N/A
FLAMMABLE GASES – N/A
FLAMMABLE AEROSOLS – N/A
OXIDIZING GASES – N/A
GASES UNDER PRESSURE – N/A
FLAMMABLE SOLID – N/A
SELF-REACTIVE SUBSTANCES – N/A
PYROPHORIC SOLIDS – N/A
SELF-HEATING SUBSTANCES – N/A
OXIDIZING LIQUIDS – N/A
OXIDIZING SOLIDS – N/A
ORGANIC PEROXIDES – N/A
CORROSIVE TO METAL – N/A
SUBSTANCES WHICH, IN CONTACT WITH
WATER EMIT FLAMMABLE GASES – N/A

PICTOGRAM: WARNING, HEALTH HAZARD

PRECAUTIONARY STATEMENTS

PREVENTION: _____

IF MEDICAL ADVICE IS NEEDED, HAVE PRODUCT OR LABEL AT HAND.

KEEP OUT OF REACH OF CHILDREN

READ LABEL BEFORE USE.

WASH THOROUGHLY AFTER HANDLING.



HAZARD STATEMENTS**DANGER!**

SKIN CORROSION/IRRITATION
 SERIOUS EYE DAMAGE/EYE IRRITATION
 HARMFUL IF SWALLOWED

RESPONSE:

IF SWALLOWED: CALL A POISON CONTROL CENTER OR DOCTOR/PHYSICIAN. RINSE MOUTH.
 IN EYES: RINSE CAUTIOUSLY WITH WATER FOR SEVERAL MINUTES. REMOVE CONTACT LENSES, IF PRESENT AND EASY TO DO.
 CONTINUE RINSING.
 IF EYE IRRITATION PERSISTS GET MEDICAL ADVICE/ ATTENTION.

STORAGE:

STORE IN WELL VENTILATED, COOL PLACE.

DISPOSAL:

DISPOSE OF CONTENTS/CONTAINER IN ACCORDANCE WITH LOCAL/REGIONAL/NATIONAL/INTERNATIONAL REGULATIONS.

SECTION 3: COMPOSITION / INFORMATION ON INGREDIENTS

<u>COMPONENT</u>	<u>CAS NUMBER</u>	<u>WEIGHT</u>
SILOXANE 1	TRADE SECRET	30%-50%
SILOXANE 2	TRADE SECRET	40%-60%
ISOPROPYL ALCOHOL	67-63-0	20%-40%
HARDENING CATALYST	TRADE SECRET	1%-2%

SECTION 4: FIRST AID MEASURES

EYE CONTACT: FLUSH WITH WATER FOR 15 MINUTES. CALL A PHYSICIAN

SKIN CONTACT: WASH THOROUGHLY WITH SOAP AND WATER

INHALATION: REMOVE TO FRESH AIR.

INGESTION: DRINK WATER OR MILK. CALL A PHYSICIAN IMMEDIATELY

SECTION 5: FIRE FIGHTING MEASURES

SUITABLE EXTINGUISHING MEDIA: DRY EXTINGUISHING MATERIAL. DO NOT USE WATER JET.

FIREFIGHTING PROCEDURES: SELF-CONTAINED BREATHING APPARATUS AND FULL PROTECTIVE EQUIPMENT

HAZARDOUS COMBUSTION HAZARDS: CARBON OXIDES, NITROGEN OXIDES AND FUMES MAY BE RELEASED FROM HEATING OR FIRE WHICH IS IRRITATING TO RESPIRATORY SYSTEM.

UNUSUAL FIRE AND EXPLOSION: NONE

SECTION 6:

STEPS TO BE TAKEN IN CASE MATERIAL IS SPILLED : FIRST NEUTRALIZE WITH SODA ASH OR SODIUM BICARBONATE, DILUTE WITH WATER, AND DISPOSE OF IN ACCORDANCE WITH EPA REGULATIONS. WASH RESIDUAL AMOUNTS WITH LOTS OF WATER.

SECTION 7: HANDLING AND STORAGE

HANDLING:

DO NOT BREATHE VAPOURS OR SPRAY MIST
 DO NOT GET ON SKIN OR CLOTHING
 FOR PERSONAL PROTECTION SEE SECTION 8

STORAGE:

STORE AWAY FROM HEAT TO PROTECT PLASTIC CONTAINERS
 OTHER PERCAUTIONS: TRACE AMOUNTS OF ETHYLENE OXIDE MAY BE PRESENT IN THIS PRODUCT. TRACE AMOUNTS COULD ACCUMULATE IN HEADSPACE AFTER HEATING, BUT WILL NOT YIELD CONCENTRATIONS GREATER THAN 0.5PPM

SECTION 8: EXPOSURE CONTROL/PERSONAL PROTECTION

INGREDIENTS	OSHA PEL-TWA	ACGIH TLV-TWA
ISOPROPYL ALCOHOL (CAS: 67-63-0)	400PPM	400PPM

EXPOSURE LIMITS: N/A

ENGINEERING CONTROLS: HANDLE ONLY IN A PLACE EQUIPPED WITH LOCAL EXHAUST (OR OTHER APPROPRIATE EXHAUST).

PERSONAL PROTECTIVE EQUIPMENT (PPE): SAFETY EYEWARE AND SOLVENT-RESISTANT GLOVES

SKIN PROTECTION: CLOTHING SUITABLE TO PREVENT SKIN CONTACT

RESPIRATORY PROTECTION: IN THE CASE OF VAPOUR FORMATION USE A RESPIRATOR WITH AN APPROVED FILTER. RESPIRATOR WITH FILTER FOR ORGANIC VAPOUR USE NIOSH APPROVED RESPIRATORY PROTECTION.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

FLASHPOINT:	16°C	LOWER FLAMMABILITY LIMIT:	NO DATA AVAILABLE
AUTO-IGNITION TEMPERATURE:	200°C	UPPER FLAMMABILITY LIMIT:	NO DATA AVAILABLE
BOILING POINT:	NO DATA AVAILABLE	VOLATILE ORGANIC COMPOUND:	NO DATA AVAILABLE
MELTING POINT:	NO DATA AVAILABLE	VOLATILE ORGANIC COMPOUND:	NO DATA AVAILABLE
VAPOR PRESSURE:	NO DATA AVAILABLE	EVAPORATION RATE (WATER=1)	NO DATA AVAILABLE
VAPOR DENSITY (AIR = 1):	NO DATA AVAILABLE	VISCOSITY:	NO DATA AVAILABLE
SOLUBILITY:	NON-MISCIBLE	PH:	NO DATA AVAILABLE
POUR POINT:	NOT AVAILABLE	MOLECULAR WEIGHT:	NO DATA AVAILABLE
MOLECULAR FORMULA:	MIXTURE	SPEC. GRAV. / DENSITY:	NO DATA AVAILABLE
ODOR/APPEARANCE:	LIGHT YELLOW		

SECTION 10: STABILITY AND REACTIVITY

CHEMICAL STABILITY: YES, PRODUCT IS STABLE

POSSIBILITY OF HAZARDOUS REACTIONS: N/A

CONDITIONS TO AVOID: HIGH TEMPERATURE AND LONG-TIME EXPOSURE TO DIRECT SUNLIGHT

INCOMPATIBLE MATERIALS: OXIDIZING AGENTS AND IGNITION SOURCES

HAZARDOUS DECOMPOSITION PRODUCTS: CARBON OXIDES, NITROGEN OXIDES AND FUMES MAY BE RELEASED FROM HEATING OR FIRE WHICH IS IRRITATING TO RESPIRATORY SYSTEM.

SECTION 11: TOXICOLOGICAL INFORMATION

ACUTE TOXICITY FOR ORGANIC SILAZANE COMPOUND

DERMAL: LD-50(RABBIT) : SPECIES: RABBIT - RESULT: CORROSIVE - METHOD: OECD 404

SKIN IRRITATION (RABBIT) : MILD SKIN IRRITATION

EYE IRRITATION: IT CAUSES EYE IRRITATION AND SYMPTOMS MAY INCLUDE REDNESS, TEAR AND ACHE.

ACUTE TOXICITY

NAME

SKIN CORROSION/IRRITATION
SERIOUS EYE DAMAGE/IRRITATION
SKIN SENSITIZATION
RESPIRATORY SENSITIZATION
GERM CELL MUTAGENICITY
CARCINOGENICITY

REPRODUCTIVE TOXICITY

REPRODUCTIVE AND/OR DEVELOPMENTAL EFFECTS
SPECIFIC TARGET ORGAN TOXICITY – SINGLE EXPOSURE
SPECIFIC TARGET ORGAN TOXICITY – REPEATED EXPOSURE
ASPIRATION HAZARD

SECTION 12: ECOLOGICAL INFORMATION

THIS MATERIAL HAS NOT BEEN TESTED FOR ENVIRONMENTAL EFFECTS

SECTION 13: DISPOSAL CONSIDERATIONS

DISPOSE OF AS HAZARDOUS WASTE IN COMPLIANCE WITH LOCAL AND NATIONAL REGULATIONS. FOR DISPOSAL, THIS MATERIAL IS A CORROSIVE AND FLAMMABLE HAZARDOUS WASTE UNDER RCRA. CONTAMINATED PACKAGING: EMPTY CONTAINERS SHOULD BE TAKEN TO AN APPROVED WASTE HANDLING SITE FOR RECYCLING OR DISPOSAL. RCRA HAZARDOUS WASTE: RCRA NUMBER: D001, D002 YES -- IF IT BECOMES A WASTE AS SOLD.

SECTION 14: TRANSPORT INFORMATION

THE PRODUCT IS NOT CLASSIFIED AS DANGEROUS GOODS. HAZARD WARNING NOT REQUIRED FOR AIR, SEA OR ROAD TRANSPORT. PROPER SHIPPING NAME: NANO HD

SECTION 15: REGULATORY INFORMATION

OSHA HAZARDOUS CHEMICAL ACCORDING TO 29 CFR 1910.1200 : NA
 CARCINOGENICITY CLASSIFICATION : (COMPONENTS PRESENT AT 0.1% OR MORE)
 INTERNATIONAL AGENCY FOR RESEARCH ON CANCER (IARC) : NA
 AMERICAN CONFERENCE OF GOVERNMENTAL INDUSTRIAL HYGIENISTS (ACGIH) : NA
 NATIONAL TOXICOLOGY PROGRAM (NTP) : NA
 OCCUPATIONAL SAFETY AND HEALTH ADMINISTRATION (OSHA) : NA
 ALL COMPONENTS OF THIS PRODUCT ARE LISTED ON THE U.S. TOXIC SUBSTANCES CONTROL ACT INVENTORY OR OTHERWISE COMPLY WITH TSCA
 PRE-MANUFACTURE NOTIFICATION REQUIREMENTS
 THIS PRODUCT IS ROHS COMPLIANT LUENE

THIS SDS HAS BEEN PREPARED TO MEET THE U.S. OSHA HAZARD COMMUNICATION STANDARD, 29 CFR 1910.1200

SECTION 16: OTHER INFORMATION

NFPA HAZARDOUS CLASSIFICATION

HEALTH: 3 FLAMMABILITY: 3 INSTABILITY: 1 SPECIAL HAZARD: NONE

HMS HAZARDOUS CLASSIFICATION

HEALTH: 3 FLAMMABILITY: 3 PHYSICAL HAZARD: 1 PERSONAL PROTECTION: X

REVISION INDICATOR: SDS REVISION # 4 / ISSUED JULY 9, 2019

THE INFORMATION CONTAINED HEREIN IS BASED ON DATA CONSIDERED TO BE ACCURATE. HOWEVER, THE INFORMATION IS PROVIDED WITHOUT ANY WARRANTY, EXPRESSED OR IMPLIED, REGARDING ITS CORRECTNESS. THE CONDITIONS OR METHODS OF HANDLING, STORAGE, USE AND DISPOSAL OF THE PRODUCT ARE BEYOND OUR CONTROL AND MAY BE BEYOND OUR KNOWLEDGE. FOR THIS AND OTHER REASONS, WE DO NOT ASSUME RESPONSIBILITY AND EXPRESSLY DISCLAIM LIABILITY FOR LOSS, DAMAGE OR EXPENSE ARISING OUT OF OR IN ANY WAY CONNECTED WITH HANDLING, STORAGE, USE OR DISPOSAL OF THE PRODUCT.